

## References

1. Amato MP, Zipoli V, Portaccio E. Multiple sclerosis-related cognitive changes: a review of cross-sectional and longitudinal studies. *J Neurol Sci.* 2006;245:41-46.
2. Patti F. Cognitive impairment in multiple sclerosis. *Mult Scler.* 2008. [Epub ahead of print].
3. Winkelmann A, Engel C, Apel A, Zettl UK. Cognitive impairment in multiple sclerosis. *J Neurol.* 2007;254(suppl 2):II35-II42.
4. Christodoulou C, MacAllister WS, McLinskey NA, Krupp LB. Treatment of cognitive impairment in multiple sclerosis: is the use of acetylcholinesterase inhibitors a viable option? *CNS Drugs.* 2008;22:87-97.
5. Kalmar JH, Gaudino EA, Moore NB, et al. The relationship between cognitive deficits and everyday functional activities in multiple sclerosis. *Neuropsychology.* 2008;22:442-449.
6. Cohen BA, Khan O, Jeffery DR, et al. Identifying and treating patients with suboptimal responses. *Neurology.* 2004;63(12 suppl 6):S33-S40.
7. Thomas PW, Thomas S, Hillier C, et al. Psychological interventions for multiple sclerosis. *Cochrane Database Syst Rev.* 2006;(1):CD004431.
8. Barton C, Sklenicka J, Sayegh P, Yaffe K. Contraindicated medication use among patients in a memory disorders clinic. *Am J Geriatr Pharmacother.* 2008;6:147-152.
9. Zaccara G, Gangemi PF, Cincotta M. Central nervous system adverse effects of new antiepileptic drugs. A meta-analysis of placebo-controlled studies. *Seizure.* 2008;17:405-421.
10. Ciesielski AS, Samson S, Steinhoff BJ. Neuropsychological and psychiatric impact of add-on titration of pregabalin versus levetiracetam: a comparative short-term study. *Epilepsy Behav.* 2006;9:424-431.
11. Stanton BR, Barnes F, Silber E. Sleep and fatigue in multiple sclerosis. *Mult Scler.* 2006;12:481-486.
12. Folstein MF, Folstein SE, McHugh PR. "Mini-Mental State." A Practical Method for Grading the Cognitive State of Patients for the Clinician. *J Psychiatr Res.* 1975;12:189-198.
13. Beatty WW, Goodkin DE. Screening for cognitive impairment in multiple sclerosis. An evaluation of the Mini-Mental State Examination. *Arch Neurol.* 1990;47:297-301.
14. Benedict RH, Zivadinov R. Reliability and validity of neuropsychological screening and assessment strategies in MS. *J Neurol.* 2007;254(suppl 2):II22-II25.

15. Parmenter BA, Weinstock-Guttman B, Garg N, et al. Screening for cognitive impairment in multiple sclerosis using the Symbol digit Modalities Test. *Mult Scler.* 2007;13:52-57.
16. Ron MA. Quick screen for cognitive impairment in patients with multiple sclerosis. *Nat Clin Pract Neurol.* 2007;3:432-423.
17. Beals JK. Cognitive intervention improves cognitive functioning in MS. Available at: <http://www.medscape.com/viewarticle/557807>. Accessed November 4, 2008.
18. O'Brien AR, Chiaravalloti N, Goverover Y, Deluca J. Evidenced-based cognitive rehabilitation for persons with multiple sclerosis: a review of the literature. *Arch Phys Med Rehabil.* 2008;89:761-769.
19. Grazioli E, Yeh AE, Benedict RHB, et al. Cognitive dysfunction in MS: bridging the gap between neurocognitive deficits, neuropsychological batteries and MRI. *Future Neurol.* 2008;3:49-59.
20. Rogawski MA. What is the rationale for new treatment strategies in Alzheimer's disease? *CNS Spectr.* 2004;9(7 suppl 5):6-12.
21. Christodoulou C, Melville P, Scherl WF, et al. Effects of donepezil on memory and cognition in multiple sclerosis. *J Neurol Sci.* 2006;245:127-136.